

Bomba de agua periférica



MODELO	KM	HP	INLET/OUTLET	MAX.FLOW (L/min)	MAX.HE AD (m)	MAX.SUCT (m)
EKm60-1	0.37	0.5	1"x1"	35	35	8
EKm80-1	0.75	1.0	1"x1"	50	62	8



MODEL O	RATED POWER (W)	INLET/OU TLET (mm)	MAX.FLOW (L/min)	MAX.HEAD (m)	MAX.SUCT (m)
EKP350-2	350	40/40	8	9	3.5
EKP804	800	63/63	19	11	3.5
EKP1104	1100	63/63	22	15	3.5
EKP1604	1600	63/63	28	17	3.5

BOMBA DE AGUA SUMERGIBLE



MODELO	W	HP	OUTLET (mm)	MAX.FLOW (L/min)	MAX.HEAD (m)	MAX. IMMERSION (m)
EKS-250P	250	0.3	32	75	6	7
EKS-400PW	400	0.5	32	125	5	7
EKS-750P	750	1.0	40	175	9	7



MODELO	KW	HP	OUTLE T (mm)	VOLTAGE (V/Hz)	MAX.FLOW (L/min)	MAX.HEA D (m)	MAX.DIA. OF PARTICLE (mm)
ESP16. 2-22/1.5L	1.5	2.0	40	220/50	270	22	10
ESP18-12/0.75L	0.75	1.0	50	220/50	300	12	25
ESP20-9/1.1L	1.1	1.5	50	220/50	333	9	35

BOMBA DE AGUA JET ACERO INOXIDABLE



MODELO	KM	HP	INLET/OUTLET	MAX.FLOW (L/min)	MAX.HE AD (m)	MAX.SUC T (m)
EJm61c	0.45	0.6	1"x1"	45	38	9
EJm101c	0.75	1.0	1"x1"	50	46	9

BOMBA DE AGUA JET /HIERRO



MODELO	KW	HP	INLET/OUTLET	MAX.FLOW (L/min)	MAX.HE AD (m)	MAX.SUC T (m)
EJm60LB	0.45	0.6	1"X1"	40	38	9
EJm100LB	0.75	1.0	1"x1"	50	46	9

Bomba Centrifugas Multietapas



MODELO	KW	HP	INLET/OUTLET	MAX.FLOW (L/min)	MAX.HE AD (m)	MAX.SUC T (m)
2ECm25/160	1.5	2.0	1 ½" X 1"	160	57.5	8
2ECm25/160	2.2	3.0	1 ½" X 1"	180	65	8
2ECm32/200	3.0	4.0	1 ½" X 1 ¼"	250	65	8

TANQUE DE PRESION AQUASTRONG



MODELO	Max. Pressure (bar)	Nominal Capacity (L)	Actual Capacity (L)	Membrane	Max. Temp	Connection
24CT	8	24	20	EPDM	99°C	G1"
50CT	8	50	36	EPDM	99°C	G1"



COMBO/ BOMBA DE AGUA
TANQUE DE PRESION 24L
800W
AQUASTRONG
EKJ801IA

COMBO/ BOMBA DE AGUA
TANQUE DE PRESION 24L
1100 W
AQUASTRONG
EKJ1101IA



**BOMBA SUMERGIBLE
AGUA LIMPIA
ACERO INOXIDABLE
7453005865892
1HP, 750W, 15M, 110**



**BOMBA SUMERGIBLE
AGUA SUCIA
ACERO INOXIDABLE
7453005866400
1HP, 750W, 8M, 13000**



**BOMBA SUMERGIBLE
AGUA SUCIA
PLASTICA
1HP, 750W, 8M, 12000
7450029088214**

Combo /Bomba Periférica 0.5 H.P. con tanque 24 litros





**PUMP CONTROL
CON MANÓMETRO 110V
EPS-0**



Manómetro Seco

0-140



**Presostatos
20-40
ARPS24**

**30-50
ARPS35MF**



**MANGUERA REVESTIDOS
DE METAL FLEXIBLE**

**ENTRADA Y SALIDA 1x1"
Largo: 25"**

**ENTRADA Y SALIDA 1X1"
Largo: 33"**



**Control de Nivel
Pear
3 Metros**



**Tubo Racord 5 vias
AR5W82**



**LLAVE DE PASO LISA SIN
DIENTE**

1/2 "
3/4 "
1 "
1-1/4 "
1-1/2 "
2 "
3 "



UNION UNIVERSAL LISA

1/2 "
3/4 "
1 "
1-1/4 "
1-1/2 "
2 "
3 "



**LLAVE DE JARDIN
CODIGO**

7450097105097

REFERENCIA: 04-FR-20513



**VALVULA FLIPPER
COMPLETA**

1/2"

3/4"

1"

1-1/4"

2"



VALVULA DE PIE PVC

1"

1-1/4"

2"

3"



FILTRO 5 ETAPAS